HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 230+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 234+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 236+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 240+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 244+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 246+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 250+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 254+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 256+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 260+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 264+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 266+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 270+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 274+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 276+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 280+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 284+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 286+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 290+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 294+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 296+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 300+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 304+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.61:1

Date: 30-JAN-2003

Station: 306+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 310+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 314+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 316+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 320+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 324+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 326+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 329+85



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 334+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 336+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 340+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 344+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 346+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 350+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 354+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 23-JUL-2003

Station: 356+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 360+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 362+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 364+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 365+09



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 366+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 368+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 370+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 372+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 374+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 376+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 378+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 380+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 384+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 386+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 388+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 390+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 392+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 394+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 394+57



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 396+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 398+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 400+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 402+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 404+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 406+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 408+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 410+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 412+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 414+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 416+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 418+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02JuI.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 418+87



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 420+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 422+03



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 424+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 426+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 428+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 430+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 432+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 434+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 436+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 438+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 438+67



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 440+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 442+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 444+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 446+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 448+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 450+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 452+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 454+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 456+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 457+11



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 458+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 460+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 462+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 464+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 466+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 468+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 470+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 472+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 474+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 476+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 478+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 480+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 482+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 484+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 486+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 488+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 490+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 492+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 494+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 496+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 498+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 500+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 502+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 504+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 16-JUL-2003

Station: 505+48



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 30-OCT-2002

Station: 514+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 30-OCT-2002

Station: 516+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 30-OCT-2002

Station: 520+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 30-OCT-2002

Station: 524+00



HSC, Exxon to Carpenters
#5 --- Area reach 230+000 to 525+00
Exams stn.230+00 to 526+00
BY NWD HS03005C2.E1(2nd.Cmbnd.svys.ofOct.02Jul.03)

Required Depth:	42'
Over Depth:	1'
Bottom Width:	400'
Slope:	2.5:1

Date: 30-OCT-2002

Station: 526+00